



Iranian Journal of Physics Research, Vol. 20, No. 2, 2020

One-dimensional p-wave superconductivity with long-range hopping and pairing

S Ansari¹ and R Jafari²

1. Department of Engineering Sciences and Physics, Buein Zahra Technical University, Buein Zahra, Iran
2. Department of Physics, Institute for Advanced Studies in Basic Sciences (IASBS), Zanjan, Iran

E-mail: saeid.ansari@gmail.com

(Received 24 November 2019 ; in final form 29 April 2020)

Abstract

In this paper, we have considered the extended version of the Kitaev model in one dimension, i.e., a long-range p-wave superconducting wire. In the long-range Kitaev chain, the superconducting hopping and pairing terms in the Hamiltonian decay, independently, in a power-law fashion $\sim 1/l^x$, where l is the distance between the two sites and x is some positive constant. We have studied the appearance of Majorana zero-energy edge modes and also, massive Dirac edge modes by exact diagonalization, as well as analytical computations. Exact diagonalization indicates the existence of both kinds of massless and massive edge modes in the energy spectrum. Furthermore, we obtain the phase diagram and the topological phase transitions by calculating the winding number, which is the topological invariant.

Keywords: p-wave superconductivity, Kitaev chain, topological phase transition, Majorana modes, long-range interaction

For full article, refer to the Persian section