



Iranian Journal of Physics Research, Vol. 20, No. 3, 2020
DOI: 10.47176/ijpr.20.3.31022

Synthesis of hydroxyapatite nanoparticles by the Sol-Gel method, investigation of its morphology and comparison of its structure with intact tooth

M Safari Gezaz¹, S Mohamadi Aref¹ and M Khatamian²

1. Department of Physics, Faculty of Physics, Tabriz University, Tabriz, Iran
2. Department of Chemistry, Faculty of Chemistry, Tabriz University, Tabriz, Iran

E-mail: mahammadiaref@tabrizu.ac.ir

(Received 10 March 2020 ; in final form 01 July 2020)

Abstract

In this study, calcium nitrate tetrahydrate ($\text{Ca}(\text{NO}_3)_2 \cdot 4\text{H}_2\text{O}$) and phosphorus pentoxide (P_2O_5) were used to synthesize hydroxyapatite nanoparticles through the sol-gel method at the ambient temperature. In order to examine the structure and identify the chemical bonds and to compare them with the intact tooth, X-ray diffraction analysis (XRD) and Fourier transform infrared spectrum (FT-IR) were used, respectively. Also, through scanning electron microscope (SEM) images, the microstructure and morphology of both synthesized hydroxyapatite nanoparticles and intact tooth were investigated. The results of X-ray diffraction analysis and Fourier transform infrared spectrum indicated that the produced powder was pure hydroxyapatite, i.e. without any discernible amount of impurity in the sample. Crystal structure of the synthesized hydroxyapatite was nearly identical to the crystal structure of intact tooth; moreover, the chemical bonds of the intact tooth were also seen in hydroxyapatite. Furthermore, the synthesized sample featured a high degree of crystallinity. On the other hand, analysis of SEM images showed that the morphology of the synthesized hydroxyapatite and intact tooth (with nanoscale dimensions and average particle size distribution of 25.69 nm and 23.15 nm, respectively), was almost spherical, thereby confirming the similarity of the synthesized nanoparticle structure to the intact tooth. In these images, the agglomeration of the synthesized nanoparticles was also seen. Compressive strength of the synthesized sample was equal to 5.5 MPa, which was approximately the same as that of the cancellous bone.

Keywords: hydroxyapatite, tooth, sol-gel, nanoparticle, microstructure

For full article, refer to the Persian section

