



Iranian Journal of Physics Research, Vol. 22, No. 1, 2022  
DOI: 10.47176/ijpr.22.1.81105

## Synthesis of $\text{Ni}_x\text{Mg}_{1-x}\text{O}$ nano particles solid solution by sol-gel self combustion method and investigation of its structural and optical properties

F Ashrafi<sup>1</sup>, H Mokhtari\*<sup>1</sup>, A Alhaji<sup>2</sup>, and S J Hashemifar<sup>3</sup>

1. Faculty of Physics, Yazd University, Yazd, Iran

2. Faculty of Materials, Isfahan University of Technology, Isfahan, Iran

3. Faculty of Physics, Isfahan University of Technology, Isfahan, Iran

E-mail: Phmh.mokhtari@yazd.ac.ir

(Received 11 August 2020 ; in final form 19 June 2021)

### Abstract

In this paper, the  $\text{Ni}_x\text{Mg}_{1-x}\text{O}$  ( $0.1 \leq x \leq 0.4$ ) solid solution nano-powder was synthesized by new and soft non-alkoxide sol-gel self-combustion method. In this method,  $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ ,  $\text{Mg}(\text{CH}_3\text{COO})_2 \cdot 4\text{H}_2\text{O}$  and Citric acid (CA), were used as  $\text{Ni}^{2+}$ ,  $\text{Mg}^{2+}$  ion and gelling and combusting source, respectively. Then, by thermal gravimetric analysis (TGA) the chemical reaction and the appropriate temperature to form a stable compound were determined. The influences of molar ratio of component (x) on structural and optical properties of samples have been investigated by X-ray diffraction (XRD), field-emission scanning electron microscope (FESEM), diffuse reflectance spectroscopy (DRS), photoluminescence (PL), and Fourier transform infrared (FTIR) analysis. By increasing in x, all the samples are shown decreasing in lattice parameter (a) and crystallite size (D), which indicates the contamination of magnesium oxide with nickel and the formation of  $\text{Ni}_x\text{Mg}_{1-x}\text{O}$  solid solution. The Band gap was decreased by increasing in x which shows that  $\text{Ni}^{2+}$  ions in MgO structure causes some modifications in the energy levels and the optical absorbance characteristics associated with F centers due to oxygen defect centers.

**Keywords:**  $\text{Ni}_x\text{Mg}_{1-x}\text{O}$  Solid solution, nano particles, self-combustion sol gel, optical properties, band structure

For full article, refer to the Persian section