



Iranian Journal of Physics Research, Vol. 23, No. 4, 2024
DOI: 10.47176/ijpr.23.4.71721

g-SiC and g-SiC₂ siligraphenes as two multifunctional H₂S sensing materials

H Mahdavinejad¹, R Safaiee^{2*}, and M H Sheikhi¹

1. Department of Communication and Electronics Engineering, Faculty of Electrical and Computer Engineering, Shiraz University, Shiraz, Iran
2. Department of Nanoelectronics Engineering, Faculty of Advanced Technologies, Shiraz University, Shiraz, Iran

E-mail: safaiee@shirazu.ac.ir

(Received 12 July 2023 ; in final form 24 October 2023)

Abstract

The main purpose of this article is to investigate the capability of g-SiC and g-SiC₂ siligraphenes in detecting H₂S gas through diverse sensing mechanisms, using density functional theory. Our calculations demonstrate that the adsorption of H₂S molecules onto both siligraphenes is a physical and exothermic process. The physical adsorption process helps sensing materials to recover soon (a few nanoseconds) after gas removal at room temperature. Investigation of geometric and electronic properties of g-SiC and g-SiC₂ in combination with H₂S molecule shows that both materials have the gas-detection ability through thermal- and resistance-based mechanisms. For example, the electrical conductance of g-SiC changes by 38% due to gas adsorption. In addition, the presence of H₂S molecule on the g-SiC surface, changes the type of its majority carriers and makes it possible to use this material in Seebeckeffect-based H₂S sensors. Overall, various sensing mechanisms besides short recovery time, make g-SiC and g-SiC₂ great candidates to be used in H₂S gas sensor as sensing material.

Keywords: g-SiC and g-SiC₂ siligraphenes, H₂S sensor, Seebeck effect, density functional theory

For full article, refer to the Persian section